

SCC-one Salt Chlorinator

ONE TOUCH MULTI-FUNCTIONAL CHLORINATOR

For residential and semi-commercial pools



 **Emaux**
water technology



RoHS
COMPLIANT
2002/95/EC



SAA

Pool & Spa Equipment

SIGNATURE COLLECTION

Product Features



Automatic Salt Chlorinator + PH Control & Dosing

Salt chlorinated pools are among the best to enjoy a comfortable bath, but such systems tend to raise pH. With SSCone you get the right solution: its automatic dosing pump injects acid to achieve the proper pH balance, obtaining the most efficient chlorine generated by the Emaux cell. No harmful by-products. It is programmed automatically.




Titanium cell with 2 meters cable

Product Features

- 1) Timer for pump and cell programmable control.
- 2) Direct power function.
- 3) Boost button, sets the system in super chlorination, 100% power for 24 hours.
- 4) Visual pH reading, and easy set-up.
- 5) Capacitive touch buttons control panel.
- 6) Switch reverse polarity to the needed time depending on water hardness to minimize cell scaling. Every 4 or 8 or 12 hours.
- 7) Fully automatic or manual.
- 8) Winter mode reduces power to 30%.

Product Dimension and Technical Information



Code	Model	Input Voltage/ Frequency	Salt Level	Cell Output	Maximum Pool Size	Cell Connections
88380803	SSCone	110-230V / 50-60Hz	2500ppm	Up to 50gr/hr	Up to 150,000 Liters	1.5" / 50mm or 2" / 63mm

Functions

1 A. INNOVATIVE TOUCH PANEL

- Intuitive and visual touch panel with LED indications

B. INTELLIGENT ALERT

- No flow detection
- Low salt alarm
- Cell life time alarm
- High heat sink temperature alarm
- pH dosing error



3 POWER

- Visual and easy reading power output
- Control the chlorine production
- Boost button, sets the system in super chlorination, 100% power for 24 hours

4 TIME

- Easy and intuitive operating system
- Timer for pump and cell programming control
- Two different schedules per day

2 INTUITIVE MODES

- Automatic or manual mode
- Switch the polarity according to the water hardness
- Winter mode

5 PH

- Visual pH reading, and easy set-up.
- Two different indications: current pH and set point
- Automatic control of the pH dosing pump

Other Accessories



Probe Holder



pH probe



pH Buffer

EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS G/F 41 TIN HAU TEMPLE ROAD,
NORTH POINT, HONG KONG

PHONE +852 2832 9880

www.emauxgroup.com

 **STRIVE FOR CLEAR WATER**

Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
© 2018 EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.

www.emauxgroup.com