E-Power Variable Speed Pump

SAVES UP TO 85% ON ENERGY CONSUMPTION

For large residential pools and water features





Product Features:

- 1. Permanent Magnet Motor (PMM)
- 2. Totally Enclosed Fan Cooled (TEFC)
- 3. 5L Strainer Basket
- 4. 316 Stainless Steel Shaft
- 5. 316 Stainless Steel Mechanical Seal
- 6. 2"/2.5" Union Connection
- 7. IPX5 Waterproof Standard













Product Features









Robust and Reliable Latest Hydraulic Design

Compared to the Emaux EPV range, traditional single-speed pumps run continuously and inefficiently at maximum load incurring high running costs. Reduced speed provides slower water circulation rates and puts less strain on the complete installation such as filter, sanitization and plumbing. It reduces the wear-and-tear factor ending in significant savings for the pool owner.

Energy Saving

Emaux E-Power Variable Speed Pump reduces the energy use of your pool, spa, and water features. Thanks to its higher efficiency, it eliminates over-usage and reduces equipment maintenance costs.

The energy saving is achieved by programming the pump to reach the ideal flow rate schedule. As the pump speed is reduced, the water flow drops. A 50% reduction in speed cuts the flow rate by half, but at the same time reduces the power consumption by up to 85%.



User-Friendly Controller

Emaux E-Power Variable Speed Pump maximizes the efficiency of your pool filtration system with the aid of a one-touch controller. The presettable direct speed controller enables pool owners to manage their usage with the press of a single button to schedule their water treatment system with piece of mind.



Super Quiet Operation

With the advanced hydraulic design, water moves much more efficiently and the operation is whisper quiet with the E-Power Variable Speed Pump operating at lower speeds. The Permanent Magnet Motor technology eliminates excessive motor noise. E-Power Variable Speed Pump satisfies the most discerning user.

New Connectivity and External Smart Control DOWNLOAD THE APP









IoT Connection:

An IoT version can be controlled and monitored over an internet connection, enabling users to manage pool functions remotely. This connectivity allows for real-time adjustments, automated scheduling, and enhanced efficiency in maintaining optimal water quality.


EMAUX PUMP





Multi-device connection:

The multi-device connection version allows multiple phones and devices to connect locally, enabling control and monitoring without requiring internet access.





Code Description

E021616 3C 22AWG 7.62M 4PIN RS485

Modbus Harness Cable

Physical Structure




IPX5 Waterproof Standard · Strainless Steel 316 Shaft Permanent Magnet Motor (PMM) · Totally Enclosed Fan Cooled (TEFC)

Motor Advantages

Emaux E-Power Variable Speed Pump utilizes the latest Permanent Magnet Motors (PMM) technology, which produces a magnetic field between the rotor and windings. The energy saving is derived from the ability to reduce the RPM of the motor itself. The standard motor consumes electricity to induce the magnetic field into the rotor. On the other hand, PMM motor gains efficiency by the permanent magnets working to spin the rotor, achieving an efficiency rating of 90%.





1. Programmable Controller

- Operate by Variable Speed Driver
- Aluminium casting

2. Motor

- Permanent Mangnet Motor (PPM)
- Totally Enclosed Fan Cooled (TEFC)
- Aluminium Motor Casting
- 800 RPM 3450 RPM
- Voltage: 220V-240V

7. Groove Ball Bearing

- Temperature rating: 120°C

6. Motor Shaft

- Stainless Steel 316 Construction

5. Shaft Seal

- Carbon rotating face
- SiC Stationary face
- Stainless Steel 316 spring
- EPDM Bellows

4. Impeller


- Made of glass filled polycarbonate


3. Diffuser


- Made of glass filled polycarbonate


Product Information

Product Dimensions (unit: mm)










Technical Information

| Code (220V-240V 50/60Hz) | Model | Connection Size(inch/mm) | Max. Input Power (kW) | Horsepower (hp) | Weight (kg) |
|--------------------------------|-------------------|-----------------------------|-----------------------------|--------------------|----------------|
| 9021605 | EPV150-RS485 | 2" 63 2.5" 75 | 1.50 | 1.50 | 23 |
| 9021606 | EPV200-RS485 | 2" 63 2.5" 75 | 1.80 | 2.00 | 24 |
| 9021607 | EPV300-RS485 | 2" 63 2.5" 75 | 2.20 | 3.00 | 25 |
| 9021611 | EPV150-WIFI+RS485 | 2" 63 2.5" 75 | 1.50 | 1.50 | 23 |
| 9021612 | EPV200-WIFI+RS485 | 2" 63 2.5" 75 | 1.80 | 2.00 | 24 |
| 9021613 | EPV300-WIFI+RS485 | 2" 63 2.5" 75 | 2.20 | 3.00 | 25 |

Performance Data







Model: EPV150

| Speed (RPM) | Flow (LPM) | Efficiency (Liter/Watt) | Flow (GPM) | Efficiency (Gallon/Watt) | Power (Watt) |
|----------------|---------------|----------------------------|---------------|-----------------------------|-----------------|
| 900 | 101 | 121 | 27 | 32 | 50 |
| 1500 | 207 | 95 | 55 | 25 | 130 |
| 2500 | 368 | 44 | 97 | 12 | 505 |
| 2900 | 417 | 29 | 110 | 8 | 850 |
| 3400 | 509 | 26 | 135 | 7 | 1190 |

EPV200 230V-50Hz/60Hz



EPV300 230V-50Hz/60Hz






HEAD OFFICE

40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand Tel 0-2738-5088-98

Fax 0-2738-5299
Email projects@poolspa.co.th
sales@poolspa.co.th





poolspathailand

โชว์รูมและสำนักงานใหญ่

40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540

โทร 0-2738-5088-99 แฟกซ์ 0-2738-5299 อีเมสล์ projects@poolspa.co.th sales@poolspa.co.th

