SCC-one Salt Chlorinator

ONE TOUCH MULTI-FUNCTIONAL CHLORINATOR

For residential and semi-commercial pools









Product Features



Automatic Salt Chlorinator + PH Control & Dosing

Salt chlorinated pools are among the best to enjoy a comfortable bath, but such systems tend to raise pH. With SSCone you get the right solution: its automatic dosing pump injects acid to achieve the proper pH balance, obtaining the most efficient chlorine generated by the Emaux cell. No harmful by-products. It is programmed automatically.




Titanium cell with 2 meters cable

Product Features

- 1) Timer for pump and cell programmable control.
- 2) Direct power function.
- 3) Boost button, sets the system in super chlorination, 100% power for 24 hours.
- 4) Visual pH reading, and easy set-up.
- 5) Capacitive touch buttons control panel.
- 6) Switch reverse polarity to the needed time depending on water hardness to minimize cell scaling. Every 4 or 8 or 12 hours.
- 7) Fully automatic or manual.
- 8) Winter mode reduces power to 30%.

Product Dimension and Technical Information



184.80

88380803 SSCone 110-230V / 50-60Hz 2500ppm Up to 50gr/hr Up to 150,000 Liters 1.5" / 50mm or 2" / 63mm

Functions

1 A. INNOVATIVE TOUCH PANEL

- Intuitive and visual touch panel with LED indications

359.95

B. INTELLIGENT ALERT

- No flow detection
- -Low salt alarm
- -Cell life time alarm
- -High heat sink temperature alarm
- -pH dosing error

4000

3 POWER

- -Visual and easy reading power output
- -Control the chlorine production -Boost button, sets the system in super chlorination, 100% power for 24 hours

TIME

-Easy and intuitive operating system

380

- -Timer for pump and cell programming control
- -Two different schedules per day

2 INTUITIVE MODES

-Automatic or manual mode -Switch the polarity according to the water hardness

122

-Winter mode

5 PH

- -Visual pH reading, and easy set-up.
- -Two different indications: current pH and set point -Automatic control of the pH dosing pump

Other Accessories



Probe Holder



pH probe



pH Buffer

EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS G/F 41 TIN HAU TEMPLE ROAD, NORTH POINT, HONG KONG PHONE +852 2832 9880 www.emauxgroup.com



Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE