Galaxy Single-Element Cartridge Filter



Pool & Spa Equipment

Product Features

Deliver Optimal Sparkling Clear Water

Galaxy Single-Element Cartridge Filter is built with high-strength and UV-resistant material to prolong the product life. The compact and low height design is suitable for any pool especially with limited system setup space. The extensive dirt-catching capability of the filter element makes this filter highly efficient. A reliable choice for crystal clear water.







User friendly

- 4 x mounting holes
- Easy-grip lid handle
- Indicative pressure gauge tells you when to service
- Knee-height tank base facilitates easy cartridge replacement

Trouble-free maintenance

- Locking ring with quick-release latch allows removing and installing the top tank quickly.
- Large water drain makes fast and easy winterisaton.
- Simple cleaning and rinsing the filter element with a garden hose.

Eco-Friendly

Big one-piece cartridge element provides a large filtration surface for trapping more dirt and debris. Less cleaning required, and unlike sand filters, needs no backwashing thus saving water and its precious chemicals.



Product Information:


| Code | Model with Standard | Code | Model with Anti-microbial | Filter Area | | Flow Velocity | | Max Flow Rate | | In / Outlet Connections | | Α | В | С | D | Е | F | |
|---------|------------------------|---------|------------------------------|-------------|-------|---------------|---------|---------------|-------|-------------------------|--------|---------|------|-------|-----|-----|-----|----|
| Code | Element | Code | Element | ft² | m² | gpm/ft² | m³/h/m² | gpm | lpm | m³/h | GB(mm) | ANSI | mm | mm | mm | mm | mm | mm |
| 9140401 | ICF100 | 9140409 | ICF100S | 100 9. | | 9.29 1.0 | 2.443 | 100 | 379 | 22.7 | GB50 | 1.5"/2" | 825 | 444.5 | 588 | 304 | 335 | 91 |
| | | | | | 9.29 | | | | | | GB63 | 2"/2.5" | | | | | | |
| 9140402 | ICF150 | 9140410 | ICF150S | 150 | 13.94 | | 1.955 | 120 | 454 | 27.2 | GB50 | 1.5"/2" | 910 | 444.5 | 588 | 304 | 335 | 91 |
| | | | | | | 0.8 | | | | | GB63 | 2"/2.5" | | | | | | |
| 9140403 | ICF200 | 9140411 | ICF200S | | 18.58 | 0.6 | 1.466 | 120 |) 454 | 27.2 | GB50 | 1.5"/2" | 1033 | 444.5 | 588 | 304 | 335 | |
| | | | | 200 | | | | | | | GB63 | 2"/2.5" | | | | | | 91 |

Cartridge Filter Element:

| | _ | | | | | | | | |
|-----------|---------------------|-----------|--------------------------------------|---------|---------|--------------|----------------|--|--|
| Code | Model (Standard) | Code | Model (Anti-microbial Element) | G mm | H mm | Micron µm | Fold Number | | |
| 914100004 | ICF100-CE | 914100018 | ICF100S-CE | 497 | Ø267 | 15 | 137 | | |
| 914100005 | ICF150-CE | 914100019 | ICF150S-CE | 590 | Ø267 | 15 | 172 | | |
| 914100006 | ICF200-CE | 914100020 | ICF200S-CE | 717 | Ø267 | 15 | 187 | | |

Galaxy Series Filter is equipped with:

- 1. universal standard of union connection
- 2. pressure gauge
- 3. cartridge filter element





HEAD OFFICE

40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand

Tel 0-2738-5088-98
Fax 0-2738-5299
Email projects@poolspa.co.th
sales@poolspa.co.th





โชว์รูมและสำนักงานใหญ่

40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540

โทร 0-2738-5088-99 แฟกซ์ 0-2738-5299 อีเมสล์ projects@poolspa.co.th sales@poolspa.co.th

