

HARVIA VEGA

HCB900400S

The stainless steel outer shell of Vega is durable and creates a modern look for your sauna. The operating switches are placed ergonomically in the upper part, and thanks to the symmetric shape of the heater, the switches can be placed on either side.



Features

Main material : Steel


H x W x D : 540.0 x 480.0 x 310.0 mm

Net weight (kg) : 11.6

Installation location : Wall

ID	GTIN	Output (kW)	Sauna room size min - max m3
HCB900400S	6417659010436	9 kW	8.0-14.0

Related products



SFE-220400




Spare parts

Product	ID	Pcs
Heating element 3000W 230V, Vega Pro	SPZSB-229	3
Knob thermostat Vega, black	SPZSB-115	1
Knob timer 4+8h Vega, black	SPZSB-125	1
Timer 4+8h	SPZSK-510	1
Timer 4+8h complete, Vega BC45-90	SPZSK-511	1
Thermostat overheating limiter switch	SPZSK-520	1
Contacteur G7J-3A1B-T 25A23V Mo1	SP225	1
	SPZSB-200	1


Technical details

Technical data	Type / attribute	HCB900400S
	Color	Stainless Steel
	Power output	9 kW
	Stone sizes	Ø5-10 cm
	Stone amount (kg)	20
Dimensions	Product width	480
	Product height	540
	Product depth (mm)	310
	Net weight (kg)	11.6
	Gross weight	13
	Package width	315
	Package height	475
	Package depth	500
Safety and installation dimensions	Safety distance front (combustible materials)	40
	Safety distance (Ceiling)	1100
	Room min. height(depends on connections and therefore from output, star/delta)	1900
	Installation opening height	1900
	Installation opening width	535
	Installation opening depth	330


Technical images




Electrical connections of BC heater
Elektroanschlüsse des Saunaofens BC



3-phase electrical connections of control unit C150 and BC-E heater
3-phaseser Elektroanschlüsse des Steuergeräts C150 und des Saunaofens BC-E



Electrical connections of BC-E heater
Elektroanschlüsse des Saunaofens BC-E



The heater can be mounted in a recess with a minimum height of 1900 millimetres.
Der Saunaofen kann in einer Wandnische angebracht werden, deren Höhe min. 1900 mm beträgt.

