www.poolspa.co.th

@poolspa

poolspathailand

POOL&SPA®

SWIMMING **POOL**

FITTINGS

SPA FITTINGS

TRUST OUR PROFESSIONALS, **TRUST POOL&SPA**

sales@poolspa.co.th

projects@poolspa.co.th

HEAD OFFICE
40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand
Tel 0-2738-5088-98 Fax 0-2738-5299
Email projects@poolspa.co.th sales@poolspa.co.th

โชว์รูมและสำนักงานใหญ่
40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540
โทร 0-2738-5088-99 แฟกซ์ 0-2738-5299
อีเมลล์ projects@poolspa.co.th sales@poolspa.co.th

www.poolspa.co.th
@poolspa
poolspathailand

POOL&SPA®
sales@poolspa.co.th
projects@poolspa.co.th

MAIN DRAIN FITTINGS

Colour :



SUCTION 5"

Material : Body ABS with UV stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-09-CW	150 gpm	White	1 1/2" FIP, 2" MIP
PSF-09-CB	150 gpm	Black	1 1/2" FIP, 2" MIP
Concrete Pool			
PSF-09-FW	150 gpm	White	1 1/2" FIP, 2" MIP
PSF-09-FB	150 gpm	Black	1 1/2" FIP, 2" MIP
Fiberglass Pool			

Colour :

MAIN DRAIN 8"

Round Frame and Grate Approved White or Black Body ABS with Securing Screws

Model	Flow Rate	Colour	Size
PSF-10-W	180 gpm	White	7 3/4" Diam., Open Area 13 sq.in
PSF-10-B	180 gpm	Black	7 3/4" Diam., Open Area 13 sq.in



Colour :



MAIN DRAIN 9" x 9"

Square Frame and Grate Approved White or Black Body ABS with Securing Screws

Model	Flow Rate	Colour	Size
PSF-11-W	200 gpm	White	9" x 9", Open Area 44 sq.in
PSF-11-B	200 gpm	Black	9" x 9", Open Area 44 sq.in

Colour :



MAIN DRAIN 12" x 12"

Square Frame and Grate Approved White or Black Body ABS with Securing Screws

Model	Flow Rate	Colour	Size
PSF-12-W	300 gpm	White	12" x 12", Open Area 78 sq.in
PSF-12-B	300 gpm	Black	12" x 12", Open Area 78 sq.in

HEAD OFFICE
40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand
Tel 0-2738-5088-98 Fax 0-2738-5299
Email projects@poolspa.co.th sales@poolspa.co.th

โชว์รูมและสำนักงานใหญ่
40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540
โทร 0-2738-5088-99 แฟกซ์ 0-2738-5299
อีเมลล์ projects@poolspa.co.th sales@poolspa.co.th

www.poolspa.co.th

@poolspa

poolspathailand

POOL&SPA®

INLET & VACUUM FITTINGS

Colour:



ADJUSTABLE STANDARD WALL INLET (STANDARD EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-01-W	18 gpm	White	1½" FIP, 2" MIP
PSF-01-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:



ADJUSTABLE STANDARD WALL INLET (STANDARD EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02-W	18 gpm	White	1½" FIP, 2" MIP
PSF-02-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:



ADJUSTABLE STANDARD WALL INLET (STAR EYEBALL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-03-W	18 gpm	White	1½" FIP, 2" MIP
PSF-03-B	18 gpm	Black	1½" FIP, 2" MIP

Colour:



STANDARD FLOOR INLET

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-07-W	50 gpm	White	1½" FIP, 2" MIP
PSF-07-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:



FLOOR INLET (NEW MODEL)

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-20-W	50 gpm	White	1½" FIP, 2" MIP
PSF-20-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:



STANDARD VACUUM

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-06-W	50 gpm	White	1½" FIP, 2" MIP
PSF-06-B	50 gpm	Black	1½" FIP, 2" MIP

Colour:



STARVACUUM

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-05-W	50 gpm	White	1½" FIP, 2" MIP
PSF-05-B	50 gpm	Black	1½" FIP, 2" MIP

HEAD OFFICE
40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand
Tel 0-2738-5088-98 Fax 0-2738-5299
Email projects@poolspa.co.th sales@poolspa.co.th

โชว์รูมและสำนักงานใหญ่
40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540
โทร 0-2738-5088-99 แฟกซ์ 0-2738-5299
อีเมลล์ projects@poolspa.co.th sales@poolspa.co.th

www.poolspa.co.th

@poolspa

poolspathailand

POOL&SPA

SPA FITTINGS

Colour:

LONG SPA JET WITH VENTURI TEE

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02+PSJ-01	18-25 gpm	White	1½"
PSF-02-B+PSJ-01	18-25 gpm	Black	1½"

Colour:



SHORT SPA JET WITH VENTURI TEE

Material: ABS with UV Stabilizer

Model	Flow Rate	Colour	Pipe Size
PSF-02+PSJ-02	18-25 gpm	White	1½"
PSF-02-B+PSJ-02	18-25 gpm	Black	1½"

Colour:



STANDARD AIR VALVE CONTROL

White Body ABS For Concrete Pool

Model	Colour	Size
PSF-14-W	White	1½"
PSF-14-B	Black	1½"

Colour:



MINI AIR VALVE CONTROL (SNAP)

White Body ABS For Concrete Pool

Model	Colour	Size
PSF-13-W	White	1½"
PSF-13-B	Black	1½"

Colour:



FLOOR BUBBLES

White or BlackBody ABS For Concrete Pool

Model	Colour	Size
PSF-15-W	White	1½"
PSF-15-B	Black	1½"

HEAD OFFICE
40/2 Moo.14 KingKaew Rd, Rachatheva, Bangplee, Samutprakarn, 10540 Thailand
Tel 0-2738-5088-98
Fax 0-2738-5299
Email projects@poolspa.co.th
sales@poolspa.co.th

โชว์รูมและสำนักงานใหญ่
40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ อำเภอบางพลี จังหวัดสมุทรปราการ 10540
โทร 0-2738-5088-99
แฟกซ์ 0-2738-5299
อีเมลล์ projects@poolspa.co.th
sales@poolspa.co.th