

Digital Water Quality Meters

QUICK RESPONSE AND EASY TO CALIBRATE



 **Emaux**
water technology

Pool & Spa Equipment

Salinity Meter

SIMPLE TO USE, ECONOMICAL PEN TYPE METER

Assess the concentration of salt



Package Contains

1. The meter x 1
2. LR44 button battery x 4
3. Operation manual

QUICK RESPONSE AND EASY TO CALIBRATE

This pocket digital Salinity Meter is designed for the pool professional for testing the salt level in pools using salt chlorinators. The meter is dipped into pool water to get instant measurements from a range of 0 to 70 ppt (0 - 70,000ppm) at temperatures from 0 - 50°C.

Product Features

1. Dual display Temp. & Salinity with ATC
2. Waterproof membrane keypad
3. Low cost and high accuracy
4. Built-in NaCl Temp. coefficient
5. Built-in NaCl Cond. to TDS conversion factor
6. Auto power off / Non-Sleep mode disable
7. Big LCD dual display
8. Auto temperature compensation
9. One touch auto-calibration
10. Data hold function
11. Calibration information review
12. Low battery indicator



Product Information

Code	Model	Salinity Range	Accuracy	Salinity Resolution	Temperature Range	Operating RH%
9316635	8371	0-10.00ppt(NaCl) 10.1-70.0ppt(NaCl)	+/-1%F.S +/- 1 digit 1ppm or 0.01ppt +/-2%F.S +/- 1 digit (10.1~70.0 ppt)	0.01 0.1(10.1~70.0ppt)	0~50.0°C	Humidity < 80%

ORP Meter

BIG DISPLAY FOR EASY READING

Assess the ORP (Oxidation-Reduction Potential)



EASY TO USE AND FACTORY CALIBRATED

ORP Meter ideal for use in swimming pools and spas, as it can provide a valuable indication of water quality. The size is small and easy to carry with. Simple to use and provides instant display of results.

Product Features

1. Big LCD with real time ORP display in mV
 2. Storage solution bottle to keep sensor wet & last life time
- Application: - excellent to use in the water disinfection process
- excellent to use in the aquaculture



Auto
Power Off



Metric/
Imperial



Low
Battery



HOLD



IP65

What is ORP?

ORP is a term used frequently in the water treatment & food processing industry. ORP stands for Oxidation-Reduction Potential, which measures the cleanliness of the water & its ability to break down contaminants.



Package Contains

1. The meter x 1
2. LR44 button battery x 4
3. Operation manual

Product Information

Code	Model	mV Range	mV Accuracy	mV Resolution	Operating Temp.	Operating RH%	Storage Temp.	Storage RH%
9318521	8552	-999mV~ +999mV	+/- 4mV	1mV	0~60.0°C	Humidity <80%	-10~60°C	Humidity <90%

pH/Temperature Meter

MAKE YOUR JOB FASTER AND EASIER

Assess the pH and the temperature



USER FRIENDLY AND EASY TO CALIBRATE

This pocket digital pH/Temp Meter is designed for on-the-go measurements of pH and temperature. The high accuracy pen type pH/Temp meter uses combined pH electrode of high sensitivity, fast response, and good repetition as probe. It has a pH range from 0 to 14 with an accuracy of ± 0.05 pH.

Product Features

1. Big LCD with dual display
2. pH/Temperature dual display
3. Measuring stability indicator
4. One touch auto-calibration up to 3 points
5. Calibration values are adjustable
6. Can keep sensor wet & last life time



Auto Power Off



Low Battery



HOLD



Metric/Imperial



Auto Temp. Compensation



IP65

Package Contains

1. The meter x 1
2. LR44 button battery x 4
3. Operation manual



1 Temperature Probe

2 Glass balls pH sensor

3 Protective cap

Product Information

Code	Model	pH Range	pH Accuracy	pH Resolution	Temp. Range	Temp. Accuracy	Operating Temp.	Operating RH%
9318522	8686	0.00~14.00	+/-0.05	0.01	0~60.0°C	+/-0.5°C	0~50°C	Humidity <80%



HEAD OFFICE

40/2 Moo.14 KingKaew Rd, Rachatheva,
Bangplee, Samutprakarn, 10540 Thailand
Tel 0-2738-5088-98
Fax 0-2738-5299
Email projects@poolspa.co.th
sales@poolspa.co.th

โชว์รูมและสำนักงานใหญ่

40/2 หมู่ 14 ถนนกิ่งแก้ว ตำบลราชาเทวะ
อำเภอบางพลี จังหวัดสมุทรปราการ 10540
โทร 0-2738-5088-99
แฟกซ์ 0-2738-5299
อีเมล projects@poolspa.co.th
sales@poolspa.co.th



poolspathailand



@poolspa



www.poolspa.co.th